



TBB Cutting Tool

M10 Series

銑削刀具
Milling Tool

TMC/SMC/TMR
(TMC.SMC.TMR)

捨棄式刀片設計提高槽加工的高效率、高精度
多款普及型銑削刀片的採用確保加工經濟性
滿足雙側、方肩、反面各種槽加工銑削工況



團隊切削 行家優選

TEAMCUTTING EXPERT PREFERRED


TMC (TMC.SMC.TMR)

T型槽铣刀-CC06

Slot Milling Cutters

TMC-CC06系列

TMC-CC06 Series



Designation 型號	CIC 齒數	INSERT 刀片	Dimension (mm)/尺寸				Screw 螺絲	Wrench 扳手
			D	C	L	d		
TMC-20-H08-C14-T2-80-CC06	2	CC□T0602	20	8	80	14	TSA-25002-2	TWA-T8
TMC-20-H08-C14-T2-120-CC06	2		20	8	120	14		
TMC-20-H08-C14-T2-150-CC06	2		20	8	150	14		
TMC-20-H10-C14-T2-80-CC06	2		20	10	80	14		
TMC-20-H10-C14-T2-120-CC06	2		20	10	120	14		
TMC-20-H10-C14-T2-150-CC06	2		20	10	150	14		
TMC-25-H08-C16-T4-80-CC06	4		25	8	80	16		
TMC-25-H08-C16-T4-120-CC06	4		25	8	120	16		
TMC-25-H08-C16-T4-150-CC06	4		25	8	150	16		
TMC-25-H10-C16-T4-80-CC06	4		25	10	80	16		
TMC-25-H10-C16-T4-120-CC06	4		25	10	120	16		
TMC-25-H10-C16-T4-150-CC06	4		25	10	150	16		
TMC-30-H08-C16-T4-80-CC06	4		30	8	80	16		
TMC-30-H08-C16-T4-120-CC06	4		30	8	120	16		
TMC-30-H08-C16-T4-150-CC06	4		30	8	150	16		
TMC-30-H10-C16-T4-80-CC06	4		30	10	80	16		
TMC-30-H10-C16-T4-120-CC06	4		30	10	120	16		
TMC-30-H10-C16-T4-150-CC06	4		30	10	150	16		
TMC-35-H08-C20-T4-80-CC06	4		35	8	80	20		
TMC-35-H08-C20-T4-120-CC06	4		35	8	120	20		
TMC-35-H08-C20-T4-150-CC06	4		35	8	150	20		
TMC-35-H10-C20-T4-80-CC06	4		35	10	80	20		
TMC-35-H10-C20-T4-120-CC06	4		35	10	120	20		
TMC-35-H10-C20-T4-150-CC06	4		35	10	150	20		
TMC-40-H08-C20-T6-80-CC06	6		40	8	80	20		
TMC-40-H08-C20-T6-120-CC06	6		40	8	120	20		
TMC-40-H08-C20-T6-150-CC06	6		40	8	150	20		
TMC-40-H10-C20-T6-80-CC06	6		40	10	80	20		
TMC-40-H10-C20-T6-120-CC06	6		40	10	120	20		
TMC-40-H10-C20-T6-150-CC06	6		40	10	150	20		
TMC-50-H08-C25-T6-80-CC06	6		50	8	80	25		
TMC-50-H08-C25-T6-120-CC06	6		50	8	120	25		
TMC-50-H08-C25-T6-150-CC06	6		50	8	150	25		
TMC-50-H10-C25-T6-80-CC06	6		50	10	80	25		
TMC-50-H10-C25-T6-120-CC06	6		50	10	120	25		
TMC-50-H10-C25-T6-150-CC06	6		50	10	150	25		
TMC-63-H10-C32-T8-80-CC06	8		63	10	80	32		
TMC-63-H10-C32-T8-120-CC06	8		63	10	120	32		
TMC-63-H10-C32-T8-150-CC06	8		63	10	150	32		
TMC-80-H10-C32-T8-80-CC06	8		80	10	80	32		
TMC-80-H10-C32-T8-120-CC06	8		80	10	120	32		
TMC-80-H10-C32-T8-150-CC06	8		80	10	150	32		


SMC (TMC.SMC.TMR)

盤式三面刃銑刀-MPHT

Slot Milling Cutters

SMC-MPHT系列

SMC-MPHT Series



Designation 型號	CIC 齒數	INSERT 刀片	Dimension (mm)/尺寸							Screw 螺絲	Wrench 扳手	
			ØD	Ød	Ød1	ae	C	b	a			
SMC-63-8-22-8T	8	MPHT06	63	22	35.2	13	8	25	7	TSA-25002-2	TWA-T8	*
SMC-63-10-22-8T	8		63	22	35.2	13	10	25	7			*
SMC-63-12-22-8T	8	MPHT08	63	22	35.2	13	12	25	7	TSA-30002-2	TWA-T8	*
SMC-63-16-22-6T	6	MPHT12	63	22	35.8	13	16	25	7	TSA-50002-2	TWA-T20	*
SMC-80-08-27-10T	10	MPHT06	80	27	46.2	16	8	31	7	TSA-25002-2	TWA-T8	*
SMC-80-10-27-10T	10		80	27	46.2	16	10	31	7			*
SMC-80-12-27-10T	10	MPHT08	80	27	46.2	16	12	31	7	TSA-30002-2	TWA-T8	*
SMC-80-16-27-6T	6	MPHT12	80	27	46.8	16	16	31	7	TSA-50002-2	TWA-T20	*
SMC-100-08-27-12T	12	MPHT06	100	27	46.2	26	8	31	7	TSA-25002-2	TWA-T8	*
SMC-100-10-27-12T	12		100	27	46.2	26	10	31	7			*
SMC-100-12-27-10T	10	MPHT08	100	27	46.2	26	12	31	7	TSA-30002-2	TWA-T8	*
SMC-100-16-27-8T	8	MPHT12	100	27	46.8	26	16	31	7	TSA-50002-2	TWA-T20	*
SMC-100-08-32-12T	12	MPHT06	100	32	50.2	24	8	36	8	TSA-25002-2	TWA-T8	*
SMC-100-10-32-12T	12		100	32	50.2	24	10	36	8			*
SMC-100-12-32-10T	10	MPHT08	100	32	50.2	24	12	36	8	TSA-30002-2	TWA-T8	*
SMC-100-16-32-8T	8	MPHT12	100	32	50.8	24	16	36	8	TSA-50002-2	TWA-T20	*
SMC-100-20-32-8T	8		100	32	50.8	24	20	36	8			*
SMC-125-08-40-14T	14	MPHT06	125	40	59.2	32	8	45	10	TSA-25002-2	TWA-T8	*
SMC-125-10-40-14T	14		125	40	59.2	32	10	45	10			*
SMC-125-12-40-12T	12	MPHT08	125	40	59.2	32	12	45	10	TSA-30002-2	TWA-T8	*
SMC-125-16-40-8T	8	MPHT12	125	40	59.8	32	16	45	10	TSA-50002-2	TWA-T20	*
SMC-125-20-40-8T	8		125	40	59.8	32	20	45	10			*
SMC-160-10-40-16T	16	MPHT06	160	40	59.2	49	10	45	10	TSA-25002-2	TWA-T8	*
SMC-160-12-40-12T	12	MPHT08	160	40	59.2	49	12	45	10	TSA-30002-2	TWA-T8	*
SMC-160-16-40-10T	10	MPHT12	160	40	59.8	49	16	45	10	TSA-50002-2	TWA-T20	*
SMC-160-20-40-10T	10		160	40	59.8	49	20	45	10			*
SMC-200-10-50-16T	16	MPHT06	200	50	71.2	63	10	55.2	14	TSA-25002-2	TWA-T8	*
SMC-200-12-50-16T	16	MPHT08	200	50	71.2	63	12	55.2	14	TSA-30002-2	TWA-T8	*
SMC-200-16-50-16T	16	MPHT12	200	50	71.8	63	16	55.2	14	TSA-50002-2	TWA-T20	*
SMC-200-20-50-16T	16		200	50	71.8	63	20	55.2	14			*
SMC-250-10-50-16T	16	MPHT06	250	50	71.2	88	10	55.2	14	TSA-25002-2	TWA-T8	*
SMC-250-12-50-16T	16	MPHT08	250	50	71.2	88	12	55.2	14	TSA-30002-2	TWA-T8	*
SMC-250-16-50-16T	16	MPHT12	250	50	71.8	88	16	55.2	14	TSA-50002-2	TWA-T20	*
SMC-250-20-50-16T	16		250	50	71.8	88	20	55.2	14			*


TMR (TMC.SMC.TMR)

圓角T型槽銑刀-RC/RP

Slot Milling Cutters

TMR-RC/RP系列

TMR-RC/RP Series



Designation 型號	CIC 齒數	INSERT 刀片	Dimension (mm)/尺寸				Screw 螺絲	Wrench 扳手
			D	C	L	d		
TMR-20-R3-C14-T3-120	3	RC□T0602	20	6	120	14	TSA-25002-2	TWA-T8
TMR-20-R4-C14-T2-120	2	RP□T08T2	20	8	120	14	TSA-25002-2	TWA-T8
TMR-25-R3-C14-T4-120	4	RC□T0602	25	6	120	14	TSA-25002-2	TWA-T8
TMR-25-R4-C14-T3-120	3	RP□T08T2	25	8	120	14	TSA-25002-2	TWA-T8
TMR-25-R5-C14-T2-120	2	RP□T10T3	25	10	120	14	TSA-35003-2	TWA-T15
TMR-30-R3-C16-T5-120	5	RC□T0602	30	6	120	16	TSA-25002-2	TWA-T8
TMR-30-R4-C16-T4-120	4	RP□T08T2	30	8	120	16	TSA-25002-2	TWA-T8
TMR-30-R5-C16-T3-120	3	RP□T10T3	30	10	120	16	TSA-35003-2	TWA-T15
TMR-30-R6-C16-T2-120	2	RP□T1204	30	12	120	16	TSA-40001-2	TWA-T15
TMR-35-R3-C16-T5-120	5	RC□T0602	35	6	120	16	TSA-25002-2	TWA-T8
TMR-35-R4-C16-T5-120	5	RP□T08T2	35	8	120	16	TSA-25002-2	TWA-T8
TMR-35-R5-C16-T3-120	3	RP□T10T3	35	10	120	16	TSA-35003-2	TWA-T15
TMR-35-R6-C16-T2-120	2	RP□T1204	35	12	120	16	TSA-40001-2	TWA-T15
TMR-40-R3-C20-T6-120	6	RC□T0602	40	6	120	20	TSA-25002-2	TWA-T8
TMR-40-R4-C20-T5-120	5	RP□T08T2	40	8	120	20	TSA-25002-2	TWA-T8
TMR-40-R5-C20-T4-120	4	RP□T10T3	40	10	120	20	TSA-35003-2	TWA-T15
TMR-40-R6-C20-T3-120	3	RP□T1204	40	12	120	20	TSA-40001-2	TWA-T15
TMR-45-R3-C20-T6-120	6	RC□T0602	45	6	120	20	TSA-25002-2	TWA-T8
TMR-45-R4-C20-T5-120	5	RP□T08T2	45	8	120	20	TSA-25002-2	TWA-T8
TMR-45-R5-C20-T4-120	4	RP□T10T3	45	10	120	20	TSA-35003-2	TWA-T15
TMR-45-R6-C20-T4-120	4	RP□T1204	45	12	120	20	TSA-40001-2	TWA-T15
TMR-50-R3-C25-T6-120	6	RC□T0602	50	6	120	25	TSA-25002-2	TWA-T8
TMR-50-R4-C25-T6-120	6	RP□T08T2	50	8	120	25	TSA-25002-2	TWA-T8
TMR-50-R5-C25-T4-120	4	RP□T10T3	50	10	120	25	TSA-35003-2	TWA-T15
TMR-50-R6-C25-T4-120	4	RP□T1204	50	12	120	25	TSA-40001-2	TWA-T15



TMR (TMC.SMC.TMR)

盤式三面刃銑刀-RC/RP

Slot Milling Cutters

TMR-RC/RP系列

TMR-RC/RP Series



Designation 型號	CICT 齒數	INSERT 刀片	Dimension (mm)/尺寸							Screw 螺絲	Wrench 扳手	
			ØD	Ød	Ød1	ae	C	b	a			
TMR-63-R3-8-M22	8	RC□□0602	63	22	34.4	14.3	6	25	7	TSA-25002-2	TWA-T8	*
TMR-63-R4-6-M22	6	RP□□08T2	63	22	34.4	14.3	8	25	7	TSA-25002-2	TWA-T8	*
TMR-63-R5-6-M22	6	RP□□10T3	63	22	34.4	14.3	10	25	7	TSA-35003-2	TWA-T10	*
TMR-63-R6-5-M22	5	RP□□1204	63	22	34.4	14.3	12	25	7	TSA-40001-2	TWA-T15	*
TMR-80-R3-8-M27	8	RC□□0602	80	27	46	17	6	31	7	TSA-25002-2	TWA-T8	*
TMR-80-R4-7-M27	7	RP□□08T2	80	27	46	17	8	31	7	TSA-25002-2	TWA-T8	*
TMR-80-R5-6-M27	6	RP□□10T3	80	27	46	17	10	31	7	TSA-35003-2	TWA-T10	*
TMR-80-R6-6-M27	6	RP□□1204	80	27	46	17	12	31	7	TSA-40001-2	TWA-T15	*
TMR-100-R3-10-M27	10	RC□□0602	100	27	46	27	6	31	7	TSA-25002-2	TWA-T8	*
TMR-100-R4-8-M27	8	RP□□08T2	100	27	46	27	8	31	7	TSA-25002-2	TWA-T8	*
TMR-100-R5-8-M27	8	RP□□10T3	100	27	46	27	10	31	7	TSA-35003-2	TWA-T10	*
TMR-100-R6-6-M27	6	RP□□1204	100	27	46	27	12	31	7	TSA-40001-2	TWA-T15	*
TMR-125-R4-10-M32	10	RP□□08T2	125	32	49.3	37.5	8	36	8	TSA-25002-2	TWA-T8	*
TMR-125-R5-8-M32	8	RP□□10T3	125	32	49.3	37.5	10	36	8	TSA-35003-2	TWA-T10	*
TMR-125-R6-8-M32	8	RP□□1204	125	32	49.3	37.5	12	36	8	TSA-40001-2	TWA-T15	*
TMR-125-R8-6-M32	6	RD□□1604	125	32	49.3	37.5	16	36	8	待定	待定	*
TMR-160-R4-12-M40	12	RP□□08T2	160	40	58.3	50.5	8	45	10	TSA-25002-2	TWA-T8	*
TMR-160-R5-10-M40	10	RP□□10T3	160	40	58.3	50.5	10	45	10	TSA-35003-2	TWA-T10	*
TMR-160-R6-8-M40	8	RP□□1204	160	40	58.3	50.5	12	45	10	TSA-40001-2	TWA-T15	*
TMR-160-R8-8-M40	8	RD□□1604	160	40	58.3	50.5	16	45	10	待定	待定	*
TMR-200-R5-12-M50	12	RP□□10T3	200	50	70.3	64.5	10	55.2	14	TSA-35003-2	TWA-T10	*
TMR-200-R6-10-M50	10	RP□□1204	200	50	70.3	64.5	12	55.2	14	TSA-40001-2	TWA-T15	*
TMR-200-R8-8-M50	8	RD□□1604	200	50	70.3	64.5	16	55.2	14	待定	待定	*
TMR-200-R10-8-M50	8	RD□□2006	200	50	70.3	64.5	20	55.2	14	待定	待定	*
TMR-250-R5-12-M50	12	RP□□10T3	250	50	70.3	89.5	10	55.2	14	TSA-35003-2	TWA-T10	*
TMR-250-R6-12-M50	12	RP□□1204	250	50	70.3	89.5	12	55.2	14	TSA-40001-2	TWA-T15	*
TMR-250-R8-10-M50	10	RD□□1604	250	50	70.3	89.5	16	55.2	14	待定	待定	*
TMR-250-R10-8-M50	8	RD□□2006	250	50	70.3	89.5	20	55.2	14	待定	待定	*